SEQUENCE LISTING

<110> OKUDA, Akifumi et al.

<120> METHOD OF PRODUCING MACROLIDE COMPOUND

<130> 0425-1185PUS1

<140> US 10/532,412
<141> 2005-04-22

<150> PCT/JP03/15170
<151> 2003-11-27

<160> 13

<170> PatentIn version 3.1

<210> 1
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> NS1 forward primer used to determine nucleotide sequence of 18s rRNA gene

<400> 1
gtagtcatat gcttgtct 18

<210> 2
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> NS3 forward primer used to determine nucleotide sequence of 18s rRNA gene

<400> 2
gcaagtctgg tgccagcagc c 21

<210> 3
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> NS5 forward primer used to determine nucleotide sequence of 18s rRNA gene

<400> 3
aacttaaagg aattgacgga ag 22

<210> 4
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> NS7 forward primer used to determine nucleotide sequence of 18s rRNA gene

<400> 4
gaggcaataa caggtctgtg atg 23

<210> 5
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> NS2 reverse primer used to determine nucleotide sequence of 18s rRNA gene

<400> 5
cgttcagacc acggtcgtcg g 21

<210> 6
<211> 22
<212> DNA
<213> Artificial Sequence

<220>
<223> NS4 reverse primer used to determine nucleotide sequence of 18s rRNA gene

<400> 6
ttgaatttcc ttaactgcct tc 22

<210> 7
<211> 23
<212> DNA
<213> Artificial Sequence

<220>
<223> NS6 reverse primer used to determine nucleotide sequence of 18s rRNA gene

<400> 7
ctccgttatt gtccagacac tac 23

<210> 8
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> NS8 reverse primer used to determine nucleotide sequence of 18s rRNA gene

<400> 8
aggcatccac ttggacgcct 20

<210> 9
<211> 1733
<212> DNA
<213> Mortierella sp. F-1529

<400> 9
aaagattaag ccatgcatgt ctaagtataa acaactttgt actgtgaaac tgcgaatggc 60

tcattaaatc agttatagtt tatttgatta taccttacta cttggataac cgtggtaatt 120

ctagagctaa tacatgctaa aaatcccgac ttctggaagg gatgtattta ttagataaaa 180

aaccaatgcg ggcaaccgct tttctggtga ttcataataa cttttcgaat cgcatggcct 240

tgtgctagcg atgtttcatt caaatttctg ccctatcaac tttcgatggt aggatagagg 300

cctaccatgg ttttaacggg taacggggaa ttagggttcg attccggaga gggagcctga 360

gaaacggcta ccacatccaa ggaaggcagc aggcgcgcaa attacccaat cccgatacgg 420

ggaggtagtg acaataaata acaatacagg gctttatagt cttgtaattg gaatgagtac 480

aatttaaatc tcttaacgag gaacaattgg agggcaagtc tggtgccagc agccgcggta 540

attccagctc caatagcgta tattaaagtt gttgcagtta aaaagctcgt agttgaattt 600

taggtctggt tggacggtct gctctctagg gtttgtactg tcctgaccgg gccttacctt 660

ctggtgagct gtcgtgttgt ttactcagtg cggcagggaa ccaggacttt tactttgaaa 720

aaattagagt gtttaaagca ggcattcgct tgaatacatt agcatggaat aatagaatag 780

gactttggtt ctattttgtt ggtttctagg accgaagtaa tgattaatag ggatagttgg 840

gggcattagt atttaattgt cagaggtgaa attcttggat ttattaaaga ctaacttctg 900

cgaaagcatt tgccaaggat gttttcatta atcaagaacg aaagttaggg gatcgaagac 960

gatcagatac cgtcgtagtc ttaaccataa actatgccga ctagggatca ggcaaggata 1020

ttttgacttg tttggcacct tatgagaaat caaagttttt gggttccggg gggagtatgg 1080

tcgcaaggct gaaacttaaa ggaattgacg gaagggcacc accaggagtg gagcctgcgg 1140

cttaatttga ctcaacacgg ggaaactcac caggtccaga catagtaagg attgacagat 1200

tgagagctct ttcttgattc tatgggtggt ggtgcatggc cgttcttagt tggtggagtg 1260

atttgtctgg ttaattccgt taacgaacga gaccttaacc tgctaaatag ttaggtcaac 1320

gattgttgat cgtcaacttc ttagagggac tattgactat tagtcaatgg aagtttgagg 1380

caataacagg tctgtgatgc ccttagatgt tctgggccgc acgcgcgcta cactgatcaa 1440

gtcaacgagt ttacaacctt ggccggaagg tctgggtaat cttttgaaac ttgatcgtgc 1500

tggggatagt ccattgcaat tattggactt caacgaggaa ttcctagtaa gcgtgagtca 1560

tcagctcgcg ttgattacgt ccctgccctt tgtacacacc gcccgtcgct actaccgatt 1620

gaatggctta gtgaggcttt cggattggac tttggcagct ggcaacagca gctagggact 1680

gaaaagtcat ccaaacttgg tcatttagag gaagtaaaag tcgtaacaag gtt 1733

<210> 10
<211> 1731
<212> DNA
<213> Mortierella sp. F-1530

<400> 10
aaagattaag ccatgcatgt ctaagtataa acaactttgt actgtgaaac tgcgaatggc 60

tcattaaatc agttatagtt tatttgatta taccttacta cttggataac cgtggtaatt 120

ctagagctaa tacatgctaa aaatcccgac ttctggaagg gatgtattta ttagataaaa 180

aaccaatgcg ggcaaccgct tttctggtga ttcataataa cttttcgaat cgcatggcct 240

tgtgctagcg atgtttcatt caaatttctg ccctatcaac tttcgatggt aggatagagg 300

cctaccatgg ttttaacggg taacggggaa ttagggttcg attccggaga gggagcctga 360

gaaacggcta ccacatccaa ggaaggcagc aggcgcgcaa attacccaat cccgatacgg 420

ggaggtagtg acaataaata acaatacagg gctttatagt cttgtaattg gaatgagtac 480

aatttaaatc tcttaacgag gaacaattgg agggcaagtc tggtgccagc agccgcggta 540

attccagctc caatagcgta tattaaagtt gttgcagtta aaaagctcgt agttgaattt 600

taggcctggt tggacggtct gctctagggt ttgtactgtc ctgactgggt cttaccttct 660

ggtgagctgt cgtattgttt actcagtgcg gcagggaacc aggactttta ctttgaaaaa 720

attagagtgt ttaaagcagg cattcgcttg aatacattag catggaataa tagaatagga 780

ctttggttct attttgttgg tttctaggac cgaagtaatg attaataggg atagttgggg 840

gcattagtat ttaattgtca gaggtgaaat tcttggattt attaaagact aacttctgcg 900

aaagcatttg ccaaggatgt ttcattaat caagaacgaa agttagggga tcgaagacga 960

tcagataccg tcgtagtctt aaccataaac tatgccgact agggatcagg caaggatatt 1020

ttgacttgtt tggcacctta tgagaaatca aagtttttgg gttccggggg gagtatggtc 1080

gcaaggctga aacttaaagg aattgacgga agggcaccac caggagtgga gcctgcggct 1140

taatttgact caacacgggg aaactcacca ggtccagaca tagtaaggat tgacagattg 1200

agagctcttt cttgattcta tgggtggtgg tgcatggccg ttcttagttg gtggagtgat 1260

ttgtctggtt aattccgtta acgaacgaga ccttaacctg ctaaatagtt aggccaacgt 1320

ttgttggtcg tcaacttctt agagggacta ttgactatta gtcaatggaa gtttgaggca 1380

ataacaggtc tgtgatgccc ttagatgttc tgggccgcac gcgcgctaca ctgatcaagt 1440

caacgagttt acaaccttgg ccggaaggtc tgggtaatct tttgaaactt gatcgtgctg 1500

gggatagtcc attgcaatta ttggacttca acgaggaatt cctagtaagc gtgagtcatc 1560

agctcgcgtt gattacgtcc ctgccctttg tacacaccgc ccgtcgctac taccgattga 1620

atggcttagt gaggctttcg gattggactt tggcagctgg caacagcagc tagggactaa 1680

aaagtcatcc aaacttggtc atttagagga agtaaaagtc gtaacaaggt t 1731

<210> 11
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> 9F primer used in the analysis of the 16S rRNA gene

<400> 11
gtgtttgatc ctggctcag 19

<210> 12
<211> 18
<212> DNA
<213> Artificial Sequence

<220>
<223> 536R primer used in the analysis of the 16S rRNA gene

<400> 12
gtattaccgc ggctgctg 18

<210> 13
<211> 414
<212> DNA
<213> Micromonosporaceae AB-1896

<400> 13
gtcgagcgga aggcccttcg gggtactcga gcggcgaacg ggtgagtaac acgtgagcaa 60

cctgccctag gctttgggat aaccccggga aaccggggct aataccgaat atgacttctg 120

gtcgcatgac cggtggtgga aagtttttcg gcctgggatg ggctcgcggc ctatcagctt 180

gttggtgggg tgatggccta ccaaggcgac gacgggtagc cggcctgaga gggcgaccgg 240

ccacactggg actgagacac ggcccagact cctacgggag gcagcagtgg ggaatattgc 300

acaatgggcg gaagcctgat gcagcgacgc cgcgtgaggg atgacggcct tcgggttgta 360

aacctctttc agcagggacg aagcgtaagt gacggtacct gcagaagaag cgcc 414